

Github Clone Note

Out of date

This note is no longer accurate. Ignore this note until I get around to correcting it.

If you have just cloned the "mypelican_static_sites" repository, you need to take a few steps before generating the sites.

1. Add soft links in each site content subdirectory pointing to the project's shared_site_images/ subdirectory.

```
pushd . >/dev/null
cd www.bernatchez.net/content
ln -s ../../shared_site_images images
popd >/dev/null

pushd . >/dev/null
cd www.ogopogo.biz/content
ln -s ../../shared_site_images images
popd >/dev/null

pushd . >/dev/null
cd doc
ln -s ../../shared_site_images images
popd >/dev/null
```

2. Generate .pdf versions of the contents of doc/ into a directory called pdf_docs/ under mypelican_static_sites/

```
mkdir -p pdf_docs
handy_rst_to_pdf
```

3. Add soft links to some .pdf files content/sitepdfs directories for both projects.

```
pushd . >/dev/null
cd www.bernatchez.net/content
mkdir -p sitepdfs
cd sitepdfs
../../bin/pdflinks
popd >/dev/null

pushd . >/dev/null
cd www.ogopogo.biz/content
mkdir -p sitepdfs
cd sitepdfs
../../bin/pdflinks
popd >/dev/null
```

4. Add soft links to some tar balls in content/tarballs of the bernatchez site.

```
pushd . >/dev/null
cd www.bernatchez.net/content
mkdir -p tarballs
cd tarballs
../../bin/tballlinks
popd >/dev/null
```

5. Add soft links to some mp3 tracks in content/compilations of the bernatchez site.

```
pushd . >/dev/null
cd www.bernatchez.net/content
mkdir -p compilations
cd compilations
../../bin/mp3links
popd >/dev/null
```

6. Generate your sites

```
pushd . >/dev/null
cd www.bernatchez.net
make html
popd >/dev/null

pushd . >/dev/null
cd www.ogopogo.biz
make html
popd >/dev/null
```