

# reStructuredText Markup Examples

## Link To Better Examples

I was setting out to write some examples to illustrate the syntax of reStructuredText mark up. When I searched for reference material I found something that I did not feel I could improve upon.

So go there for examples.

For the sake of illustration I am showing here the RST code for the links to those examples.

```
Inline: `Quickref <https://docutils.sourceforge.io/docs/user/rst/quickref.html>`_  
Deferred: `Quickref`_  
.. _`Quickref`: https://docutils.sourceforge.io/docs/user/rst/quickref.html
```

Inline: [Quickref](https://docutils.sourceforge.io/docs/user/rst/quickref.html)

Deferred: [Quickref](https://docutils.sourceforge.io/docs/user/rst/quickref.html)

## Source level Links

When using [Pelican](#) we can also link to ".rst" source files, the compiler converts them to links to the generated ".html" files.

Note that absolute links are relative to the "content/" directory.

```
`Relative file link to Markdown Examples <{filename}./md-examples-en.rst>`_  
`Absosulte file link to Emacs Tip <{filename}/examples/emacs-cmd-en.rst>`_  
`Deferred link to Emacs Tip`_  
.. _`Deferred link to Emacs Tip`: {filename}/examples/emacs-cmd-en.rst
```

[Relative link to Markdown Examples](#)

[Absosulte link to Emacs Insert Tip](#)

[Deferred link to Emacs Tip](#)